

References

1. Jencks SF, Williams MV, Coleman EA. Rehospitalizations among patients in the Medicare fee-for-service program. *N Engl J Med*. 2009;360(14):1418–1428.
2. Wick EC, Shore AD, Hirose K, Ibrahim AM, Gearhart SL, Efron J, Weiner JP, Makary MA. Readmission rates and cost following colorectal surgery. *Dis Colon Rectum*. 2011;54(12):1475–1479.
3. Berry JG, Toomey SL, Zaslavsky AM, Jha AK, Nakamura MM, Klein DJ, Feng JY, Shulman S, Chiang VK, Kaplan W, Hall M, Schuster MA. Pediatric readmission prevalence and variability across hospitals. *JAMA*. 2013;309(4):372–380.
4. Jiang HJ, Wier LM. All-cause hospital readmissions among non-elderly Medicaid patients, 2007: statistical brief #89. In: *Healthcare Cost and Utilization Project (HCUP) Statistical Briefs*. Rockville (MD): Agency for Health Care Policy and Research (US); 2006. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK53601/>. Accessed October 23, 2013.
5. Berry JG, Hall DE, Kuo DZ, Cohen E, Agrawal R, Feudtner C, Hall M, Kueser J, Kaplan W, Neff J. Hospital utilization and characteristics of patients experiencing recurrent readmissions within children's hospitals. *JAMA*. 2011;305(7):682–690.
6. Simon TD, Berry J, Feudtner C, Stone BL, Sheng X, Bratton SL, Dean JM, Srivastava R. Children with complex chronic conditions in inpatient hospital settings in the United States. *Pediatrics*. 2010;126(4):647–655.
7. Leschke J, Panepinto JA, Nimmer M, Hoffmann RG, Yan K, Brousseau DC. Outpatient follow-up and rehospitalizations for sickle cell disease patients. *Pediatr Blood Cancer*. 2012;58(3):406–409.
8. Sobota A, Graham DA, Neufeld EJ, Heeney MM. Thirty-day readmission rates following hospitalization for pediatric sickle cell crisis at freestanding children's hospitals: risk factors and hospital variation. *Pediatr Blood Cancer*. 2012;58(1):61–65.
9. Brousseau DC, Owens PL, Mosso AL, Panepinto JA, Steiner CA. Acute care utilization and rehospitalizations for sickle cell disease. *JAMA*. 2010;303(13):1288–1294.
10. Lautz TB, Reynolds M. Context and significance of emergency department visits and readmissions after pediatric appendectomy. *J Pediatr Surg*. 2011;46(10):1918–1922.
11. Rice-Townsend S, Hall M, Barnes JN, Lipsitz S, Rangel SJ. Variation in risk-adjusted hospital readmission after treatment of appendicitis at 38 children's hospitals: an opportunity for collaborative quality improvement. *Ann Surg*. 2013;257(4):758–765.
12. Morse RB, Hall M, Fieldston ES, Goodman DM, Berry JG, Gay JC, Sills MR, Srivastava R, Frank G, Hain PD, Shah SS. Children's hospitals with shorter lengths of stay do not have higher readmission rates. *J Pediatr*. 2013.
13. Gay JC, Hain PD, Grantham JA, Saville BR. Epidemiology of 15-day readmissions to a children's hospital. *Pediatrics*. 2011;127(6):e1505–1512.

14. Shudy M, de Almeida ML, Ly S, Landon C, Groft S, Jenkins TL, Nicholson CE. Impact of pediatric critical illness and injury on families: a systematic literature review. *Pediatrics*. 2006;118 Suppl 3:S203–218.
15. Rennick JE, Johnston CC, Dougherty G, Platt R, Ritchie JA. Children's psychological responses after critical illness and exposure to invasive technology. *J Dev Behav Pediatr*. 2002;23(3):133–144.
16. Committee on Identifying and Preventing Medication Errors, Institute of Medicine. *Preventing Medication Errors*. (Aspden P, Wolcott J, Bootman J, eds.). National Academies Press; 2006.
17. Committee on Quality of Health Care in America, Institute of Medicine. *To Err is Human: Building a Safer Health System*. (Kohn L, Corrigan J, eds.). National Academies Press; 2000.
18. Friedman B, Basu J. The rate and cost of hospital readmissions for preventable conditions. *Med Care Res Rev MCRR*. 2004;61(2):225–240.
19. Leader S, Jacobson P, Marcin J, Vardis R, Sorrentino M, Murray D. A method for identifying the financial burden of hospitalized infants on families. *Value Health*. 2002;5(1):55–59.
20. Worchel-Prevatt FF, Heffer RW, Prevatt BC, Miner J, Young-Saleme T, Horgan D, Lopez MA, Rae WA, Frankel L. A school reentry program for chronically ill children. *J Sch Psychol*. 1998;36(3):261–279.
21. Weitzman M, Klerman LV, Lamb G, Menary J, Alpert JJ. School absence: a problem for the pediatrician. *Pediatrics*. 1982;69(6):739–746.
22. Kearney CA. School absenteeism and school refusal behavior in youth: a contemporary review. *Clin Psychol Rev*. 2008;28(3):451–471.
23. Shaw SR, McCabe PC. Hospital-to-school transition for children with chronic illness: meeting the new challenges of an evolving health care system. *Psychol Sch*. 2008;45(1):74–87.
24. Bardach NS, Vittinghoff E, Asteria-Peñaloza R, Edwards JD, Yazdany J, Lee HC, Boscardin WJ, Cabana MD, Dudley RA. Measuring hospital quality using pediatric readmission and revisit rates. *Pediatrics*. 2013;peds.2012–3527.
25. Golden AG, Tewary S, Dang S, Roos BA. Care management's challenges and opportunities to reduce the rapid rehospitalization of frail community-dwelling older adults. *Gerontologist*. 2010;50(4):451–458.
26. Harrison PL, Hara PA, Pope JE, Young MC, Rula EY. The impact of postdischarge telephonic follow-up on hospital readmissions. *Popul Heal Manag*. 2011;14(1):27–32.
27. Kangovi S, Grande D, Meehan P, Mitra N, Shannon R, Long JA. Perceptions of readmitted patients on the transition from hospital to home. *J Hosp Med*. 2012;7(9):709–712.

28. Strunin L, Stone M, Jack B. Understanding rehospitalization risk: can hospital discharge be modified to reduce recurrent hospitalization? *J Hosp Med*. 2007;2(5):297–304.
29. Santamour B. Reining in avoidable readmissions. *Hosp Health Netw*. 2011;85(2):8– 44.
30. Gilfillan RJ, Tomcavage J, Rosenthal MB, Davis DE, Graham J, Roy JA, Pierdon SB, Bloom FJ Jr, Graf TR, Goldman R, Weikel KM, Hamory BH, Paulus RA, Steele GD Jr. Value and the medical home: effects of transformed primary care. *Am J Manag Care*. 2010;16(8):607–614.
31. Sochalski J, Jaarsma T, Krumholz HM, Laramée A, McMurray JJV, Naylor MD, Rich MW, Riegel B, Stewart S. What works in chronic care management: the case of heart failure. *Health Aff (Millwood)*. 2009;28(1):179–189.
32. Flood KL, Maclennan PA, McGrew D, Green D, Dodd C, Brown CJ. Effects of an acute care for elders unit on costs and 30-day readmissions. *JAMA Intern Med*. 2013:1–7.
33. Phillips CO, Wright SM, Kern DE, Singa RM, Shepperd S, Rubin HR. Comprehensive discharge planning with postdischarge support for older patients with congestive heart failure: a meta-analysis. *JAMA*. 2004;291(11):1358–1367.
34. Naylor MD, Brooten DA, Campbell RL, Maislin G, McCauley KM, Schwartz JS. Transitional care of older adults hospitalized with heart failure: a randomized, controlled trial. *J Am Geriatr Soc*. 2004;52(5):675–684.
35. Coleman EA, Parry C, Chalmers S, Min S-J. The care transitions intervention: results of a randomized controlled trial. *Arch Intern Med*. 2006;166(17):1822–1828.
36. Ballard DJ, Ogola G, Fleming NS, Stauffer BD, Leonard BM, Khetan R, Yancy CW. Impact of a standardized heart failure order set on mortality, readmission, and quality and costs of care. *Int J Qual Health Care*. 2010;22(6):437–444.
37. Mistiaen P, Poot E. Telephone follow-up, initiated by a hospital-based health professional, for postdischarge problems in patients discharged from hospital to home. *Cochrane Database Syst Rev*. 2006;(4):CD004510.
38. Costantino ME, Frey B, Hall B, Painter P. The influence of a postdischarge intervention on reducing hospital readmissions in a Medicare population. *Popul Heal Manag*. 2013;16(5):310–316.
39. Hansen LO, Young RS, Hinami K, Leung A, Williams MV. Interventions to reduce 30-day rehospitalization: a systematic review. *Ann Intern Med*. 2011;155(8):520–528.
40. Inglis SC, Clark RA, McAlister FA, Ball J, Lewinter C, Cullington D, Stewart S, Cleland JG. Structured telephone support or telemonitoring programmes for patients with chronic heart failure. *Cochrane Database Syst Rev Online*. 2010;(8):CD007228.
41. Scott IA. Preventing the rebound: improving care transition in hospital discharge processes. *Aust Health Rev*. 2010;34(4):445–451.

42. Boutwell AE, Johnson MB, Rutherford P, Watson SR, Vecchioni N, Auerbach BS, Griswold P, Noga P, Wagner C. An early look at a four-state initiative to reduce avoidable hospital readmissions. *Health Aff (Millwood)*. 2011;30(7):1272–1280.
43. Institute for Healthcare Improvement. STate Action on Avoidable Rehospitalizations (STAAR) Initiative. Available at: <http://www.ihl.org/offerings/Initiatives/STAAR/Pages/default.aspx>. Accessed October 23, 2013.
44. Society of Hospital Medicine. BOOST, Better Outcomes for Older adults through Safe Transitions. Available at: <http://www.hospitalmedicine.org/AM/Template.cfm?Section=Home&CONTENTID=27659&TEMPLATE=/CM/HTMLDisplay.cfm>. Accessed October 23, 2013.
45. Hansen LO, Greenwald JL, Budnitz T, Howell E, Halasyamani L, Maynard G, Vidyarthi A, Coleman EA, Williams MV. Project BOOST: Effectiveness of a multihospital effort to reduce rehospitalization. *J Hosp Med*. 2013;8(8):421–427.
46. Centers for Medicare & Medicaid Services. Community-based Care Transitions Program. Available at: <http://innovation.cms.gov/initiatives/CCTP/>. Accessed October 23, 2013.
47. Liu SY, Pearlman DN. Hospital readmissions for childhood asthma: the role of individual and neighborhood factors. *Public Health Rep*. 2009;124(1):65–78.
48. Frei-Jones MJ, Field JJ, DeBaun MR. Risk factors for hospital readmission within 30 days: a new quality measure for children with sickle cell disease. *Pediatr Blood Cancer*. 2009;52(4):481–485.
49. Reznik M, Hailpern SM, Ozuah PO. Predictors of early hospital readmission for asthma among inner-city children. *J Asthma*. 2006;43(1):37–40.
50. Carroll CL, Uygungil B, Zucker AR, Schramm CM. Identifying an at-risk population of children with recurrent near-fatal asthma exacerbations. *J Asthma*. 2010;47(4):460–464.
51. Health information technology and the medical home. *Pediatrics*. 2011;127(5):978–982.
52. American Academy of Pediatrics Council on Children with Disabilities. Care coordination in the medical home: integrating health and related systems of care for children with special health care needs. *Pediatrics*. 2005;116(5):1238–1244.
53. Homer CJ, Klatka K, Romm D, Kuhlthau K, Bloom S, Newacheck P, Van Cleave J, Perrin JM. A review of the evidence for the medical home for children with special health care needs. *Pediatrics*. 2008;122(4):e922–937.
54. Auger KA, Kahn RS, Davis MM, Beck AF, Simmons JM. Medical home quality and readmission risk for children hospitalized with asthma exacerbations. *Pediatrics*. 2013;131(1):64–70.
55. Cooper C, Wheeler DM, Woolfenden SR, Boss T, Piper S. Specialist home-based nursing services for children with acute and chronic illnesses. *Cochrane Database Syst Rev Online*. 2006;(4):CD004383.

56. Fassi BA, Nkoy FL, Stone BL, Srivastava R, Simon TD, Uchida DA, Koopmeiners K, Greene T, Cook LJ, Maloney CG. The Joint Commission Children's Asthma Care quality measures and asthma readmissions. *Pediatrics*. 2012;130(3):482–491.
57. Davis AM, Benson M, Cooney D, Spruell B, Orelan J. A matched-cohort evaluation of a bedside asthma intervention for patients hospitalized at a large urban children's hospital. *J Urban Health*. 2011;88 Suppl 1:49–60.
58. Boyd M, Lasserson TJ, McKean MC, Gibson PG, Ducharme FM, Haby M. Interventions for educating children who are at risk of asthma-related emergency department attendance. *Cochrane Database Syst Rev Online*. 2009;(2):CD001290.
59. Frei-Jones MJ, Field JJ, DeBaun MR. Multi-modal intervention and prospective implementation of standardized sickle cell pain admission orders reduces 30-day readmission rate. *Pediatr Blood Cancer*. 2009;53(3):401–405.
60. Englander H, Kansagara D. Planning and designing the care transitions innovation (C-Train) for uninsured and Medicaid patients. *J Hosp Med*. 2012;7(7):524–529.
61. Jackson CT, Trygstad TK, Dewalt DA, Dubard CA. Transitional care cut hospital readmissions for North Carolina Medicaid patients with complex chronic conditions. *Health Aff (Millwood)*. 2013;32(8):1407–1415.
62. Agency for Healthcare Research & Quality. Medicaid medical directors learning network. Available at: <http://www.ahrq.gov/policymakers/measurement/quality-by-state/mmdl.html>. Accessed October 1, 2013.
63. Massachusetts Executive Office of Health and Human Services. MassHealth Quality Exchange (MassQEX). Available at: <http://massqex.ehs.state.ma.us/massqex/index/hqi>. Accessed October 1, 2013.
64. Shepperd S, Lannin NA, Clemson LM, McCluskey A, Cameron ID, Barras SL. Discharge planning from hospital to home. *Cochrane Database Syst Rev Online*. 2013;1:CD000313.
65. Anderson C, Deepak BV, Amoateng-Adjepong Y, Zarich S. Benefits of comprehensive inpatient education and discharge planning combined with outpatient support in elderly patients with congestive heart failure. *Congest Heart Fail*. 2005;11(6):315–321.
66. Balaban RB, Weissman JS, Samuel PA, Woolhandler S. Redefining and redesigning hospital discharge to enhance patient care: a randomized controlled study. *J Gen Intern Med*. 2008;23(8):1228–1233.
67. Evans RL, Hendricks RD. Evaluating hospital discharge planning: a randomized clinical trial. *Med Care*. 1993;31(4):358–370.
68. Jack BW, Chetty VK, Anthony D, Greenwald JL, Sanchez GM, Johnson AE, Forsythe SR, O'Donnell JK, Paasche-Orlow MK, Manasseh C, Martin S, Culpepper L. A reengineered hospital discharge program to decrease rehospitalization: a randomized trial. *Ann Intern Med*. 2009;150(3):178–187.

69. Naylor M, Brooten D, Jones R, Lavizzo-Mourey R, Mezey M, Pauly M. Comprehensive discharge planning for the hospitalized elderly. A randomized clinical trial. *Ann Intern Med.* 1994;120(12):999–1006.
70. Koehler BE, Richter KM, Youngblood L, Cohen BA, Prengler ID, Cheng D, Masica AL. Reduction of 30-day postdischarge hospital readmission or emergency department (ED) visit rates in high-risk elderly medical patients through delivery of a targeted care bundle. *J Hosp Med.* 2009;4(4):211–218.
71. Rich MW, Beckham V, Wittenberg C, Leven CL, Freedland KE, Carney RM. A multidisciplinary intervention to prevent the readmission of elderly patients with congestive heart failure. *N Engl J Med.* 1995;333(18):1190–1195.
72. Bradley EH, Curry L, Horwitz LI, Sipsma H, Wang Y, Walsh MN, Goldmann D, White N, Piña IL, Krumholz HM. Hospital strategies associated with 30-day readmission rates for patients with heart failure. *Circ Cardiovasc Qual Outcomes.* 2013;6(4):444–450.
73. Markley J, Andow V, Sabharwal K, Wang Z, Fennell E, Dusek R. A project to reengineer discharges reduces 30-day readmission rates. *Am J Nurs.* 2013;113(7):55–64.
74. Berry JG, Ziniel SI, Freeman L, Kaplan W, Antonelli R, Gay J, Coleman EA, Porter S, Goldmann D. Hospital readmission and parent perceptions of their child's hospital discharge. *Int J Qual Health Care.* 2013;25(5):573–581.
75. Jha AK, Orav EJ, Epstein AM. Public reporting of discharge planning and rates of readmissions. *N Engl J Med.* 2009;361(27):2637–2645.
76. Ashton CM, Kuykendall DH, Johnson ML, Wray NP, Wu L. The association between the quality of inpatient care and early readmission. *Ann Intern Med.* 1995;122(6):415–421.
77. Chen JY, Ma Q, Chen H, Yermilov I. New bundled world: quality of care and readmission in diabetes patients. *J Diabetes Sci Technol.* 2012;6(3):563–571.
78. Bozic KJ, Maselli J, Pekow PS, Lindenauer PK, Vail TP, Auerbach AD. The influence of procedure volumes and standardization of care on quality and efficiency in total joint replacement surgery. *J Bone Joint Surg Am.* 2010;92(16):2643–2652.
79. Ludke RL, MacDowell NM, Booth BM, Hunter SA. Appropriateness of admissions and discharges among readmitted patients. *Health Serv Res.* 1990;25(3):501–525.
80. Tsai TC, Joynt KE, Orav EJ, Gawande AA, Jha AK. Variation in surgical-readmission rates and quality of hospital care. *N Engl J Med.* 2013;369(12):1134–1142.
81. Heidenreich PA, Hernandez AF, Yancy CW, Liang L, Peterson ED, Fonarow GC. Get With The Guidelines program participation, process of care, and outcome for Medicare patients hospitalized with heart failure. *Circ Cardiovasc Qual Outcomes.* 2012;5(1):37–43.
82. Austin PC, Steyerberg EW. Interpreting the concordance statistic of a logistic regression model: relation to the variance and odds ratio of a continuous explanatory variable. *BMC Med Res Methodol.* 2012;12:82.

83. Steyerberg EW, Vickers AJ, Cook NR, Gerds T, Gonen M, Obuchowski N, Pencina MJ, Kattan MW. Assessing the performance of prediction models: a framework for traditional and novel measures. *Epidemiology*. 2010;21(1):128–138.
84. Horwitz L, Partovian C, Lin Z, Herrin J, Grady J, Conover M, Montague J, Dillaway C, Bartczak K, Suter L, Ross J, Bernheim S, Krumholz H, Drye E. *Hospital-Wide All-Cause Unplanned Readmission Measure: Final Technical Report.*; 2012. Available at: <https://www.qualitynet.org/dcs/ContentServer?c=Page&pagename=QnetPublic%2FPage%2FQnetTier4&cid=1228772504318>. Accessed September 20, 2013.
85. Grosso LM, Curtis JP, Lin Z, Geary LL, Vellanky S, Oladele C, Ott LS, Parzynski C, Bernheim S, Suter LG, Drye EE, Krumholz HM. *Hospital-level 30-Day All-Cause Risk-Standardized Readmission Rate Following Elective Primary Total Hip Arthroplasty (THA) And/Or Total Knee Arthroplasty (TKA): Measure Methodology Report.*; 2012. Available at: <http://www.qualitynet.org/dcs/ContentServer?c=Page&pagename=QnetPublic%2FPage%2FQnetTier4&cid=1228772504368>. Accessed September 23, 2013.
86. Grady JN, Lin Z, Wang C, Keenan M, Nwosu C, Bhat KR, Horwitz LI, Drye EE, Krumholz HM, Bernheim SM. *2013 Measures Updates and Specifications Report: Hospital-Level 30-Day Risk-Standardized Readmission Measures for Acute Myocardial Infarction, Heart Failure, and Pneumonia (Version 6.0).*; 2013. Available at: <https://www.qualitynet.org/dcs/ContentServer?cid=1163010421830&pagename=QnetPublic%2FPage%2FQnetTier4&c=Page>. Accessed September 23, 2013.
87. WWAMI Rural Health Research Center. UW RHRC rural urban commuting area codes - RUCA. Available at: <http://depts.washington.edu/uwruca/>. Accessed September 25, 2013.
88. Dartmouth Atlas Working Group. PCSA-RUCA (rural-urban commuting areas) designations. 2007. Available at: http://www.dartmouthatlas.org/downloads/pcsa/crosswalks/PCSA_RUCA_README.pdf. Accessed September 25, 2013.
89. APCD Council. Interactive state report map. Available at: <http://www.apcdouncil.org/state/map>. Accessed September 24, 2013.
90. Centers for Medicare & Medicaid Services. Medicaid Analytic eXtract (MAX) general information. 2013. Available at: <http://www.cms.gov/Research-Statistics-Data-and-Systems/Computer-Data-and-Systems/MedicaidDataSourcesGenInfo/MAXGeneralInformation.html>. Accessed October 7, 2013.
91. Bencio D. *Medicaid Analytic Extract Provider Characteristics (MAXPC) Evaluation Report, 2010 - Final Report*. Mathematica Policy Research; 2013. Available at: <http://www.mathematica-mpr.com/publications/>. Accessed September 24, 2013.
92. Fontanarosa PB, McNutt RA. Revisiting hospital readmissions. *JAMA*. 2013;309(4):398–400.
93. Clune S. Q&A: What Hospital Readmissions Statistics Mean For Consumers – Capsules - The KHN Blog and PBS News Hour. Available at:

- <http://capsules.kaiserhealthnews.org/index.php/2013/07/qa-what-hospital-readmissions-statistics-mean-for-consumers/>. Accessed September 12, 2013.
94. Ness D, Kramer W. Reducing Hospital Readmissions: It's About Improving Patient Care – Health Affairs Blog. 2013. Available at: <http://healthaffairs.org/blog/2013/08/16/reducing-hospital-readmissions-its-about-improving-patient-care/>. Accessed September 12, 2013.
 95. AHIP Center for Policy and Research. *America's Health Insurance Plans - Innovations in Reducing Preventable Hospital Admissions, Readmissions, and Emergency Room Use*. Available at: <http://www.ahip.org/Innovations-in-Hospital-Readmissions/>. Accessed September 12, 2013.
 96. Aizenman NC. Hospitals reduce share of patients who soon return. *The Washington Post*. February 28, 2013:A–SECTION; Pg. A06.
 97. Zamosky L. HEALTHCARE WATCH; Avoid another hospital stay; Patients and their families can play a big role in preventing readmissions. *Los Angeles Times*. May 19, 2013:BUSINESS; Business Desk; Part B; Pg. 3.
 98. Skinner C. Most of region's hospitals to get penalties for readmissions. *The Philadelphia Inquirer*. August 10, 2013:NATIONAL; P–com News for PC Home Page; Pg. A01.
 99. Goodman DC, Fisher ES, Chang C-H. *The Revolving Door: A Report on U.S. Hospital Readmissions - Robert Wood Johnson Foundation*. Available at: <http://www.rwjf.org/en/research-publications/find-rwjf-research/2013/02/the-revolving-door--a-report-on-u-s--hospital-readmissions.html>. Accessed September 10, 2013.
 100. Centers for Medicare & Medicaid Services. Hospital Compare - readmissions, complications and deaths. Available at: <http://www.medicare.gov/hospitalcompare/About/RCD.html>. Accessed September 19, 2013.
 101. L & M Policy Research. Adding hospital readmission data to the Hospital Compare web tool. Available at: <http://www.lmpolicyresearch.com/case-study/incorporating-hospital-readmission-data-hospital-compare-web-tool>. Accessed September 12, 2013.
 102. Agency for Healthcare Research & Quality. Best practices in public reporting no. 1: how to effectively present health care performance data to consumers. Available at: <http://www.ahrq.gov/legacy/qual/pubrptguide1.htm>. Accessed August 22, 2013.
 103. Agency for Healthcare Research & Quality. Best practices in public reporting no. 2: maximizing consumer understanding of public comparative quality reports: effective use of explanatory information. Available at: <http://www.ahrq.gov/professionals/quality-patient-safety/quality-resources/tools/pubrptguide2/index.html>. Accessed September 19, 2013.
 104. Srivastava R, Keren R. Pediatric readmissions as a hospital quality measure. *JAMA*. 2013;309(4):396–398.
 105. Alverson BK, O'Callaghan J. Hospital readmission: quality indicator or statistical inevitability? *Pediatrics*. 2013;132(3):569–570.

106. ResDAC. Strengths and limitations of CMS administrative data in research. Available at: <http://www.resdac.org/resconnect/articles/156>. Accessed October 12, 2013.

