Q-METRIC Sickle Cell Disease Measure 3: Appropriate Antibiotic Prophylaxis for Children with Sickle Cell Disease

Graphics for <u>Section VII</u>. <u>Identification of Disparities</u>

VII.A. Race/Ethnicity

Table 7: Race/Ethnicity by State in 2009 for Children (Ages 0-18 years) with Sickle Cell Disease

State	White		Black or African American		Hispanic/Latino Race Unknown		Other Race		Unknown		Total	
	n	%	n	%	n	%	n	%	n	%	n	%
Florida	43	2.9	903	61.0	184	12.4	11	0.7	340	23.0	1481	100
Illinois	39	3.6	912	85.1	71	6.6	12	1.1	38	3.5	1072	100
Louisiana	23	2.2	825	80.3	22	2.1	3	0.3	154	15.0	1027	100
Michigan	68	8.5	666	82.7	6	0.8	4	0.5	61	7.6	805	100
South Carolina	10	2.4	234	56.0	1	0.2	7	1.7	166	39.7	418	100
Texas	43	2.9	903	61.0	184	12.4	11	0.7	340	23.0	1481	100

Source: Medicaid Analytic eXtract (MAX) data, provided by the Centers for Medicare & Medicaid Services (CMS). States selected for testing had a moderate-to-high prevalence of SCD.